AMERICAN, EQUIPMENT CO.

Specifications for ITB #23069 - Reading Service Body with power pack:

Reading MM200HD 11' Service Body OK

- 11' length OK
- 60" tall compartments **OK**
- Compartment lights **OK**
- . HD step up work bumper NO WILL REUSE EXISTING BUMPER
- · Pintle hitch NO WILL REUSE EXISTING PINTLE HITCH
- (4) 18X18X60" toolboxes mounted on driver side (open to cargo area)
- 18X18X48 toolbox mounted on passenger side (open to cargo area)
- Vanair 3n1 system (gen, air and hyd)
- Welder deck mounted between body and cab to mount hyd tank and coolers NO NO ROOM
- Remount existing hose reels on passenger side of body σΚ
- LED St/t lights のK
- (2) flush mounted LED strobes on rear OK
- Bod painted white OK
- Rear mud flaps OK
- Installed OK

JOHN BLOGIN
JOHN BLOGIN
AMERICAN GOVIPMENT CO.



QUOTATION

DATE	Quotation #					
8/30/2023	083023/3JB					

3250 Harvester Road Kansas City, Kansas 66115 (Phone) 913-342-1450 (Fax) 913-342-1377 sales@americanequipment.us

NAME / ADDRESS				TO CONFIRM ORDER								
City of Independence Water Dept. 420 North Forest Independence, MO. 64050					Quote Accepted by Date							
					P.O. #							
LEAD TIME	TERMS	3	REP		FOB PHONE			PHONE	FAX#		. #	
5 to 6 months	Due on Re	ce	JLB				816	-325-760	61			
QTY	ITEM	2011 2011 2011 2011 2011 2011 2011 2011	þ	ESC	RIPTION	V			U/M	COST	Total	
	BW-Equip	201' 6-sp Cus' the 1 84" No 1 Reaa- 60- 11 (1)1 - Exeach - In - A perm - To - Com - Com - Co- Ro	7 International 4300 4 seed 7 International 4300 4 seed 7 tomer will have truck rear work platform will allow room for the 2' welder ding Legacy MM-Ser 0" tall compartments via body includes three norizontal compartment external work lamps—1 4500 lumens tegrated tie-downs in 11 compartments featurnitting infinite adjustation wo tray shelf in each hompression handles with the partments of the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international tray shelf in each hompression handles with the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international tray shelf in each hompression handles with the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held in the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held to the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held to the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held to the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held to the partment lighting: 1 dedi-safe non-skid sprauding cargo bed & international trays held trays held to the partment lighting trays held trays h	strippith HE the 1 r deck ies Bo with h (3) ve ont, on Four cargo ire Un ability th vert horizo with th LED	oed down pintle 1' service that is ody: eadacheertical control to area—istrut-control control	on auto on with hitch. ce body in the s e rack in compart oadside adjusta – six (6 ompatilalled sh mpartment locki	the exception. The control of the c	one de. ghts, annels,		86,599.00	86,599.00	
Quoted by John	n Blogin						-	Tot	al			



QUOTATION

DATE	Quotation#	
8/30/2023	083023/3JB	

3250 Harvester Road Kansas City, Kansas 66115 (Phone) 913-342-1450 (Fax) 913-342-1377 sales@americanequipment.us

NAME / ADDRESS				TO CONFIRM ORDER							
City of Independence Water Dept. 420 North Forest Independence, MO. 64050				Quote Accepted by Date P.O. #							
LEAD TIME	TERMS		REP		FOB PHONE			PHONE		FAX	〈 #
5 to 6 months	Due on Rec	ce	JLB				816-325-76		61		
QTY	TTEM			ESCRI	PTION				U/M	COST	Total
Quoted by Joh	n Blogin	ud flaps am action tailgate "high side compartm ED lights) LED amber strobes if) 18X18X60" toolbox too area) 8X18X48 toolbox moto area) emount existing hose redy powdercoat paints air Genair V-3 UNDE ain Components Instationated on Riser to Coc. The Breather to be mounted to the compressor introl panel, outlets, beingers side rear vertical pressor Info: enair 9.6 KW + 160 Coc) dual sensor redundate paration tank outled oil level sensor	in rear ies mod unted of reels or ed white RDEC lled in over To ated to reaker cal com EFM / 1 ancy sy	of body unted or on passer te CK Com Cargo op of A Cab Guard in Freing da box all partme	y on drive enger singer	r side (o ide (ope de of boo r System chind Cal c/Hydrau i Drivers all comp in the lo installed	pen to n to dy n: b dic Side conents coad bed in (trade mark)				
Quoted by Joh	n Blogin							Tot	al		



QUOTATION

DATE Quotation # 8/30/2023 083023/3JB

3250 Harvester Road Kansas City, Kansas 66115 (Phone) 913-342-1450 (Fax) 913-342-1377 sales@americanequipment.us

TO CONFIRM ORDER

NAME / ADDRESS

City of Indepe 420 North Fo Independence		Quote Accepted by Date P.O. #								
LEAD TIME	FOB		F	PHONE	. FA		\X #			
5 to 6 months	Due on Re	ce JLB			816	-325-766	61			
QTY	ITEM		DESCRIPTION				U/M	COST	Total	
		- PTO Muncie F20-F131 - Dual Voltage Option 12 Hydraulic Info: - 20 GPM flow rate Force America Equipmer - Hydraulic flow control - 30 gallon hydraulic tan - Hydraulic oil cooler - Flat face quick disconn ALL OF THE ABOVE II NOTE: Pricing is only go	20/240V for 9 nt: tool circuit k ects NSTALLED	9.6 Gen	ening					
O. stod b. T.	n Dia									
Quoted by Joh	n Blogin					Tot	al		\$86,599.00	

This quote is valid for 30 days. Applicable taxes not included.