

City of Independence

Prepared For: Mike Hicks

[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck (5)





Price Summary

PRICE SUMMARY

	MSRP
Base Price	\$52,500.00
Total Options	\$9,980.00
Vehicle Subtotal	\$62,480.00
Tire Weight Tax (TWT)	\$26.64
Destination Charge	\$1,695.00
Grand Total	\$64,201.64

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Quote Worksheet

		MSRP
Base Price		\$52,500.00
Dest Charge		\$1,695.00
Total Options		\$9,980.00
	Subtotal	\$64,175.00
11' Knapheide Dump Body		\$18,950.00
MACCP Bid Assistance		(\$6,400.00)
	Subtotal Pre-Tax Adjustments	\$12,550.00
Less Customer Discount		\$0.00
	Subtotal Discount	\$0.00
Trade-In		\$0.00
	Subtotal Trade-In	\$0.00
	Taxable Price	\$76,725.00
Tire Weight Tax		\$26.64
Sales Tax		\$0.00
	Subtotal Taxes	\$26.64
	Subtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$76,751.64

Dealer Signature / Date

Customer Signature / Date

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck (5) (Complet	э)
-------------------------------------------------------------------------------------	----

Weight Ratings WEIGHT RATINGS Front Gross Axle Weight Rating: 7500 lbs Rear Gross Axle Weight Rating: 13500 lbs Gross Vehicle Weight Rating: 19500.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MIO
Trans Type	6	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	3.10
Second Gear Ratio (:1)	1.80	Third Gear Ratio (:1)	1.40
Fourth Gear Ratio (:1)	1.00	Fifth Gear Ratio (:1)	0.70
Sixth Gear Ratio (:1)	0.61	Reverse Ratio (:1)	N/A
Clutch Size	N/A	Trans Power Take Off	Yes
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Meritor
Transfer Case Power Take Off	N/A	Second Reverse Gear Ratio (:1)	N/A
Third Reverse Gear Ratio (:1)	N/A	Fourth Reverse Gear Ratio (:1)	N/A
Fifth Reverse Gear Ratio (:1)	N/A	Sixth Reverse Gear Ratio (:1)	N/A
Transmission Manufacturer	Allison	Transmission Type	A1750RDS Alliso
gine			
Engine Order Code	L5D	Engine Type	Turbocharged Diesel V8
Displacement	6.6L/402	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	350 @ 2700	SAE Net Torque @ RPM	700 @ 1600
Engine Oil Cooler	Yes	Governed Engine Speed (RPM)	2900
Engine Series	Duramax		
ectrical			
Cold Cranking Amps @ 0° F (Primary)	1100	Cold Cranking Amps @ 0° F (2nd)	1100
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220
oling System			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Ve	hicle			
V	ehicle			
	Axle Ratio - Low Rear (:1)	N/A	As Spec Curb Weight - Front	5207.00 lbs
	As Spec Curb Weight - Rear	3024.00 lbs		
Ch	assis			
W	eight Information			
	Standard Weight - Front	0.00 lbs	Standard Weight - Rear	0.00 lbs
	Total Weight	8581.00 lbs	Gross Axle Wt Rating - Front	7500 lbs
	Gross Axle Wt Rating - Rear	13500 lbs	Curb Weight - Front	5207 lbs
	Curb Weight - Rear	3024 lbs	Option Weight - Front	0.00 lbs
	Option Weight - Rear	0.00 lbs	Reserve Axle Capacity - Front	1943.00 lbs
	Reserve Axle Capacity - Rear	10476.00 lbs	As Spec'd Curb Weight	8231.00 lbs
	As Spec'd Payload	11269.00 lbs	Gross Combined Wt Rating	30000 lbs
	Cargo Weight	0.00 lbs	Gross Vehicle Weight	8581.00 lbs
	Axle Weight	8581.00 lbs	Gross Axle Weight Rating	21000.00 lbs
	Curb Weight	8231.00 lbs	Reserve Axle Capacity	12419.00 lbs
	Total Option Weight	0.00 lbs	Payload Weight Front	0.00 lbs
	Payload Weight Rear	0.00 lbs	Maximum Axle Rating Front	7500.00 lbs
	Maximum Axle Rating Rear	13500.00 lbs	Maximum Axle Rating Total	21000.00 lbs
	Gross Vehicle Weight Rating	19500.00 lbs	Front PayLoad	350.00 lbs
	Rear Payload	0.00 lbs	Total Payload Weight (Cargo + Driver + Body)	350.00 lbs

Frame

Frame Type	High Strength Low Alloy Steel	Sect Modulus Rails Only	8.08 Front/10.93 Belly/8.47 Rear in³
Frame RBM	404000 Front/546500 Belly/423500 Rear	Frame Strength	50000 lbs
Frame Thickness	0.3125 in		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis

Suspension

-			
Suspension Type - Front	Multi-Leaf	Suspension Type - Rear	Multi-Leaf
Spring Capacity - Front	7500 lbs	Spring Capacity - Rear	13500 lbs
Axle Type - Front	Single Reduction	Axle Type - Rear	Single Reduction
Axle Capacity - Front	7500 lbs	Axle Capacity - Rear	13500 lbs
Axle Ratio (:1) - Front	4.30	Axle Ratio (:1) - Rear	4.30
Shock Absorber Diameter - Front	51 mm	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	N/A	Stabilizer Bar Diameter - Rear	N/A
Tires			
Front Tire Order Code	XMF	Rear Tire Order Code	YMF
Spare Tire Order Code	N/A	Front Tire Size	225/70R19.5G
Rear Tire Size	225/70R19.5G	Spare Tire Size	N/A
Front Tire Capacity	7940 lbs	Rear Tire Capacity	15000 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
Tire Rating Total	22940.00		
Wheels			
Front Wheel Size	19.5 x 6.75 in	Rear Wheel Size	19.5 x 6.75 in
Spare Wheel Size	N/A	Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum	Spare Wheel Material	N/A
Front Bolt Pattern	8 Hole JIS 10.83"	Rear Bolt Pattern	8 Hole JIS 10.83"
Spare Bolt Pattern	N/A		
Steering			
o			
Steering Type	Pwr	Steering Ratio (:1), On Center	16.6
Steering Type Steering Ratio (:1), At Lock	Pwr 19.6	Steering Ratio (:1), On Center Turning Diameter - Curb to Curb	16.6 52 ft

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Chassis

[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck (5) (Complete)

Brakes Brake Type Pwr Brake ABS System Brake ABS System (Second Line) N/A Disc - Front (Yes or) Front Brake Rotor Diam x Thickness Disc - Rear (Yes or) Yes Rear Brake Rotor Diam x Thickness Drum - Front (Yes or) 15.375 x 1.625 in Front Drum Diam x Width N/A Drum - Rear (Yes or) Rear Drum Diam x Width N/A **Fuel Tank** Fuel Tank Capacity, Approx 65 gal Aux Fuel Tank Capacity, Approx Fuel Tank Location Front & Rear Aux Fuel Tank Location Trailering **Trailer Weight** 0.0 lbs Dimensions Interior Dimensions Passenger Capacity 3 Front Head Room Front Leg Room 45.28 in Front Shoulder Room Front Hip Room 60.75 in **Exterior Dimensions** Wheelbase 165 in Length, Overall w/o rear bumper Length, Overall 248.5 in Width, Max w/o mirrors Height, Overall 86.41 in Overhang, Front Front Bumper to Back of Cab Overhang, Rear w/o bumper 49 in Cab to Axle 83.86 in Cab to End of Frame Ground to Top of Load Floor 32.2 Front/34.7 Ground to Top of Frame Rear in Frame Width, Rear 34.1 in Ground Clearance, Front Ground Clearance, Rear N/A Body Length Cab to Body 3.0 in Frontal Area

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15885. Data Updated: Feb 27, 2022 4:55:00 AM PST.

4-Wheel

15.375 x 1.625 in

Yes

N/A

N/A

N/A N/A

42.8 in

66.02 in

N/A

84.0 in

34.4 in

115.47 in

133.1 in

N/A

N/A

0.0 ft

ft²



Medium Duty

Medium Duty Performance

-			
ont Axle %	64.76	Rear Axle %	
ver Weight	350.0 lbs	Front Ground Load	
r Ground Load	3024.00 lbs	1st gear High Speed (High Axle Gear)	
d gear High Speed (High Axle Gear)	N/A	3rd gear High Speed (High Axle Gear)	
gear High Speed (High Axle Gear)	N/A	5th gear High Speed (High Axle Gear)	
n gear High Speed (High Axle Gear)	N/A	1st gear Low Speed (High Axle Gear)	
I gear Low Speed (High Axle Gear)	N/A	3rd gear Low Speed (High Axle Gear)	
gear Low Speed (High Axle Gear)	N/A	5th gear Low Speed (High Axle Gear)	
gear Low Speed (High Axle Gear)	N/A	1st gear High Speed (Low Axle Gear)	
gear High Speed (Low Axle Gear)	N/A	3rd gear High Speed (Low Axle Gear)	
gear High Speed (Low Axle Gear)	N/A	5th gear High Speed (Low Axle Gear)	
gear High Speed (Low Axle Gear)	N/A	1st gear Low Speed (Low Axle Gear)	
gear Low Speed (Low Axle Gear)	N/A	3rd gear Low Speed (Low Axle Gear)	
ear Low Speed (Low Axle Gear)	N/A	5th gear Low Speed (Low Axle Gear)	
gear Low Speed (Low Axle Gear)	N/A	Reduction	
ue @ Clutch Engage	N/A	Starting Grade Index	
Sear Tractive Effort (High Axle Gear)	N/A	2nd Gear Tractive Effort (High Axle Gear)	
ear Tractive Effort (High Axle Gear)	N/A	4th Gear Tractive Effort (High Axle Gear)	
ear Tractive Effort (High Axle Gear)	N/A	6th Gear Tractive Effort (High Axle Gear)	
Gear Tractive Effort (Low Axle Gear)	N/A	2nd Gear Tractive Effort (Low Axle Gear)	
Gear Tractive Effort (Low Axle Gear)	N/A	4th Gear Tractive Effort (Low Axle Gear)	
Gear Tractive Effort (Low Axle Gear)	N/A	6th Gear Tractive Effort (Low Axle Gear)	
Gear Gradeability (High Axle Gear)	N/A	2nd Gear Gradeability (High Axle Gear)	
Gear Gradeability (High Axle Gear)	N/A	4th Gear Gradeability (High Axle Gear)	
Gear Gradeability (High Axle Gear)	N/A	6th Gear Gradeability (High Axle Gear)	
ear Gradeability (Low Axle Gear)	N/A	2nd Gear Gradeability (Low Axle Gear)	
Gear Gradeability (Low Axle Gear)	N/A	4th Gear Gradeability (Low Axle Gear)	
ear Gradeability (Low Axle Gear)	N/A	6th Gear Gradeability (Low Axle Gear)	
red Road Speed	0.00 MPH	Actual Loaded Speed	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Medium Duty

Medium Duty Performance


Torque Converter1.764Maximum Capacity @ 0° F2200.00% of Body on Front Axle49.01% of Body on Rear Axle50.99Body Weight Front0.00 lbsBody Weight Rear0.00 lbsActual Loaded Speed (First Part, MPH)N/AActual Loaded Speed (Second Part, RPM)ConcreteActual Loaded Speed (Third Part, Gear)0.0 lbsDriver Weight Front350.00 lbsBody Weight Rear0.00 lbsMedium Duty Body TypeNone				
% of Body on Front Axle49.01% of Body on Rear Axle50.99Body Weight Front0.00 lbsBody Weight Rear0.00 lbsActual Loaded Speed (First Part, MPH)N/AActual Loaded Speed (Second Part, RPM)0.00 lbsActual Loaded Speed (Third Part, Gear)N/ARoad TypeConcreteBody Weight0.0 lbsDriver Weight Front350.00 lbsDriver Weight Rear0.00 lbsMedium Duty Body TypeNone	Grade (%)	2.0	Maximum Speed Gradeability	15.05% @ 2528 RPM @ 75 MPH
Body Weight Front0.00 lbsBody Weight Rear0.00 lbsActual Loaded Speed (First Part, MPH)N/AActual Loaded Speed (Second Part, RPM)ConcreteActual Loaded Speed (Third Part, Gear)Road TypeConcreteBody Weight0.0 lbsDriver Weight Front350.00 lbsDriver Weight Rear0.00 lbsMedium Duty Body TypeNone	Torque Converter	1.764	Maximum Capacity @ 0° F	2200.00
Actual Loaded Speed (First Part, MPH)N/AActual Loaded Speed (Second Part, RPM)ConcreteActual Loaded Speed (Third Part, Gear)0.0 lbsDriver Weight Front350.00 lbsDriver Weight Rear0.00 lbsMedium Duty Body TypeNone	% of Body on Front Axle	49.01	% of Body on Rear Axle	50.99
Actual Loaded Speed (Third Part, Gear)Road TypeConcreteBody Weight0.0 lbsDriver Weight Front350.00 lbsDriver Weight Rear0.00 lbsMedium Duty Body TypeNone	Body Weight Front	0.00 lbs	Body Weight Rear	0.00 lbs
Body Weight0.0 lbsDriver Weight Front350.00 lbsDriver Weight Rear0.00 lbsMedium Duty Body TypeNone	Actual Loaded Speed (First Part, MPH)	N/A	Actual Loaded Speed (Second Part, R	PM)
Driver Weight Rear 0.00 lbs Medium Duty Body Type None	Actual Loaded Speed (Third Part, Gear)		Road Type	Concrete
	Body Weight	0.0 lbs	Driver Weight Front	350.00 lbs
Front Total Load 5557.00 lbs Rear Total Load 3024.00 lb	Driver Weight Rear	0.00 lbs	Medium Duty Body Type	None
	Front Total Load	5557.00 lbs	Rear Total Load	3024.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Weight Distribution

SPECIFICATION SUMMARY	
Model #	CK56403
Truck/Tractor	
Wheelbase (WB)	165 in
Cab to Axle (CA)	83.86 in
Cab to Body/Swing Clear (BOC)	3.0 in
Body Length	0.0 ft
Body Weight	0.0 lbs
Cargo Weight	0.00 lbs
Front GAWR	7500 lbs
Rear GAWR	13500 lbs
GVWR	19500.00 lbs



10,919.00 lbs

G	AWR/GVWR	G	vw	Remaining Paylo	oad Wt
	Front Wt:	5557.00 lbs	Rear Wt:	3024.00 lbs	
	Fr%:	64.76	Rr%:	35.24	

8581.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15885. Data Updated: Feb 27, 2022 4:55:00 AM PST.

19500.00 lbs



Weight Distribution

SPECIFICATION DETAILS

	Front Axle	Rear Axle	Tota
Actual			
Chassis	5207.00 lbs	3024.00 lbs	8231.00 lbs
Body	0.00 lbs	0.00 lbs	0.0 lbs
Payload	0.00 lbs	0.00 lbs	0.00 lbs
Trailer			0.0 lbs
Totals	5557.00 lbs	3024.00 lbs	8581.00 lbs
Capacity			
Axle	7500 lbs	13500 lbs	21000.00 lb
Suspension	7500 lbs	13500 lbs	21,000.00 lbs
Tire	7940 lbs	15000 lbs	22940.00
Total Axle Rating	7500.00 lbs	13500.00 lbs	21000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Selected Model and Options MODEL CODE MODEL **MSRP** CK56403 2021 Chevrolet Silverado MD 4WD Reg Cab Work Truck \$52,500.00 COLORS DESCRIPTION CODE GAZ Summit White **MODEL OPTION** CODE DESCRIPTION **MSRP** R7N 5500 HD Series (Included and only available with (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. Inc. GVWR or (GZG) 19,500 lb. GVWR.) **GVWR** CODE DESCRIPTION MSRP GZG GVWR, 19,500 lb. (8845 kg) (Silverado 5500 HD 4WD models require one of the following \$2,255.00 combinations: (1) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (HD2) 13.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (91B) 13.5k LiquidSpring prep single volume rear suspension or (91C) 13.5k LiquidSpring prep stacked volume rear suspension. (2) (FTB) 7.5k front axle and (FTV) 7.5k front suspension and (HD1) 15k rear axle or (J27) 15.5k rear axle and one of the following rear suspensions: (GR4) 13.5k rear suspension, (FU7) 15.5k rear suspension, (91B) 13.5k LiquidSpring prep single volume rear suspension, (91C) 13.5k LiquidSpring prep stacked volume rear suspension, (91D) 15.5k LiquidSpring prep single volume rear suspension or (91E) 15.5k LiquidSpring prep stacked volume rear suspension.) **REQUIRED OPTION** CODE **MSRP** DESCRIPTION R6I 30,000 lb. GCWR (13,607 kg) (Requires 30k GCWR transmission (MBV, MBW, MBX, MBY, MJ0, \$0.00 MIO, MHV, MEO).) ENGINE

	CODE	DESCRIPTION	MSRP
	L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible 350 hp @ 2700 rpm, 700 lbft. torque @ 1600 rpm (STD)	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



CODE	DESCRIPTION	MSRP
PTO	Power Take Off, engine control provisions Access is available on left-hand and right-hand side	\$275.00
RANSMISS	ION	
CODE DESCRIPTION		MSRP
MIO	Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS ratios 3.10 1ST, 1.80 2ND, 1.40 3RD, 1.00 4TH, 0.70 5TH, 0.61 Rugged Duty Series, 19.5K GVW & 37K GCW Max., requires PTO and park pawl, On/Off Highway. Available with GVWs less than or equal to 19.5K (Requires (C7Y) 14,001 lb. GVWR, (C5B) 15,000 lb. GVWR, (C7P) 16,000 lb. GVWR, (C7R) 16,500 lb. GVWR, (GZX) 17,500 lb. GVWR, (GZJ) 18,000 lb. GVWR or (GZG) 19,500 lb. GVWR. Requires (R6I) 30,000 lb. GCWR (13,607 kg) or (R6W) 34,000 lb. GCWR (15,422 kg).)	\$740.00
XLE		
CODE	DESCRIPTION	MSRP
092	Rear axle, 4.30 ratio Max road speed: 75 MPH	\$0.00
RONT AXL	E	
CODE	DESCRIPTION	MSRP
FTB	Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving	\$0.00
CODE	DESCRIPTION	MSRP
HD2	Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction	\$355.00
REAR SUSP	ENSION	
CODE	DESCRIPTION	MSRP
GR4	Rear suspension, 13,500 lb. (6,123 kg) multi-leaf, vari-rate (Not available with (GL4) 11,000 lb. (4,999 kg) rear axle.)	\$25.00
VHEELBAS	E	
CODE	DESCRIPTION	MSRP
ED9	Wheelbase, 165" (419.1 cm), 84" CA (Requires (F0C) 49" axle to end of frame, (F0D) 63" axle to end of frame or (F0K) 91" axle to end of frame. Requires (PCJ) Vocational Specific Heavy Suspension Package, when ordering (FTA) 7,000 lb. Front axle/(FK6) 7,000 lb. Front suspension or (FTL) 8,000 lb. Front axle/(FSN) 8,000 lb. Front suspension or (FU7) 15,500 lb. rear suspension.) (STD)	\$0.00



CODE	DESCRIPTION	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	\$0.00
NHEEL TYP	E	
CODE	DESCRIPTION	MSRP
PWV	Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted Dura-Bright finish is on the outside of the wheel	\$1,050.00
	S	
CODE	DESCRIPTION	MSRP
XMF	Tires, front 225/70R19.5G traction blackwall Goodyear Max Axle Load: 7,940 lb. (Requires (YMF) rear 225/70R19.5G traction blackwall Goodyear tires.)	\$300.00
REAR TIRES		
CODE	DESCRIPTION	MSRP
YMF	Tires, rear 225/70R19.5G traction blackwall Goodyear Max Axle Load: 15,000 lb.	\$595.00
SPARE TIRE		
CODE	DESCRIPTION	MSRP
9L3	Spare tire delete (STD)	\$0.00
PAINT SCHEME		
CODE	DESCRIPTION	MSRP
ZY1	Paint, solid	\$0.00
PAINT		
CODE	DESCRIPTION	MSRP
GAZ	Summit White	\$0.00
SEAT TYPE		
CODE	DESCRIPTION	MSRP
A52	Seats, front 40/20/40 split-bench, cloth or vinyl 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Also includes manually adjustable driver lumbar and storage pockets. (Requires (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment. Includes (AG1) 10-way power seat.)	\$600.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



SEAT TRIM			
CODE	DESCRIPTION	MSRP	
HOU	Jet Black, Cloth seat trim (Not available with (APL) Passenger Seat Delete or (IO3) Audio System.)	\$0.00	
RADIO			
CODE	DESCRIPTION	MSRP	
IOB	Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones. (Includes (UQ3) 6-speaker audio system. Not available with (TG5) Single slot CD/MP3 player.)	\$275.00	
ADDITIONAL	EQUIPMENT - PACKAGE		
CODE	DESCRIPTION	MSRP	
VYU	Snow Plow Prep Package includes (UNL) auxiliary harness for headlamps and turn signals, (KW5) 220-amp alternator, forward lamp wiring harness and (TRW) provision for cab roof mounted lamp/beacon (Note: (KW5) 220-amp alternator can be upgraded to (KHB) dual, 150 amps and 220 amps each alternators.)	\$340.00	
ADDITIONAL	- EQUIPMENT - MECHANICAL		
CODE	DESCRIPTION	MSRP	
BTN	Battery, top post threaded, battery jump start stud (located on battery box) (Requires (7Y7) 1100 cold-cranking amps batteries or (7Y8) 1300 cold-cranking amps batteries.)	\$50.00	
G86	Axle, limited slip, Dana Spicer Truetrac, torque proportioning limited slip	\$350.00	
JL1	Trailer brake controller, integrated (Requires (UY7) Trailering provisions.)	\$275.00	
K05	Engine block heater	\$90.00	
KW5	Alternator, 220 amps (Included with (VYU) Snow Plow Prep Package.)	Inc.	
NSQ	Fuel tank, front and rear, 65 gallon total	\$625.00	
UY7	Trailering provisions, trailering wire harness only, trailer combined (Stop/Tail/Turn) connection socket and harness mounted at rear of frame. (Requires (JL1) Trailer brake controller.)	\$30.00	
V76	Recovery hooks, front, frame-mounted, black (Not available with (T3A) front bumper with 4"	\$25.00	

V76 Recovery hooks, front, frame-mounted, black (Not available with (T3A) front bumper with 4" \$
extension.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - EXTERIOR		
CODE	DESCRIPTION	MSRP
5DX	Electrical Provisions, rear of cab, upfitter, body builder wiring includes Sealed Connectors for Tail/Amber Turn/Marker/Backup/Accessory Power/Ground and Sealed Connector for Stop/Turn	\$115.00
DPN	Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black. Includes integrated turn signal indicators consisting of 51 square inch flat mirror surface positioned over a 24.5 square inch convex mirror surface with a common head and lower convex spotter glass (convex glass is not heated and not power adjustable) and addition of Auxiliary cargo lamp for backing up (helps to see trailer when backing up with a trailer) and amber auxiliary clearance lamp (Requires (A31) power windows.)	\$355.00
FNP	Front fender extension, painted body color (Not available with (FNX) Black front fender extension.)	\$105.00
JTR	Tail lamp wiring harness provisions includes wiring for standard left and right taillamps, separate 8 feet of extra cable wiring for left and right body-mounted tail lights	\$50.00
TRW	Provision for cab roof-mounted lamp/beacon provides an overhead console mounted switch and electrical wiring tucked beneath the headliner for a body upfitter to connect a body-mounted warning or emergency lamp (Included with (VYU) Snow Plow Prep Package.)	Inc.
UNL	Auxiliary harness, 3' for headlamps and turn signals (Included with (VYU) Snow Plow Prep Package.)	Inc.
V22	Grille, chrome	\$195.00
V46	Bumper, front chrome	\$100.00
VK3	License plate kit, front (will be shipped with trucks with ship-to states that require front license plate)	\$15.00

ADDITIONAL EQUIPMENT - ENTERTAINMENT

CODE	DESCRIPTION	MSRP
	Bluetooth for phone, personal cell phone connectivity to vehicle audio system (Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.) UQ3 6-speaker audio system (Included and only available with (IOB) 7" diagonal color touch-screen with Chevrolet Infotainment.)	
UQ3		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



ADDITIONAL EQUIPMENT - INTERIOR		
CODE DESCRIPTION		MSRP
A31 Windows, power with driver express up and down and express down on all other windows \$29 (Requires (DPN) outside heated power-adjustable vertical trailering mirrors or (DGP) outside, black, heated power-adjustable, high-visibility vertical camper-style 102" wide load mirrors.)		\$290.00
AG1 Seat adjuster, driver 10-way power (Included and only available with (A52) front 40/20/40 split- bench seat.)		Inc.
AQQ	Remote Keyless Entry	\$175.00
KI4	Power outlet, 110-volt AC	\$125.00
ADDITIONAL EQUIPMENT - SAFETY-INTERIOR		
CODE	DESCRIPTION	MSRP
UVC	Rear Vision Camera, display integrated into Radio (Shipped loose in cab for upfitter installation.)	\$200.00

Options Total

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15885. Data Updated: Feb 27, 2022 4:55:00 AM PST.

\$9,980.00



Window Sticker

SUMMARY

[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck

Interior: Jet Black, Cloth seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible

Rugged Duty Service Transmission, Automatic close-ratio 6 SPD with double overdrive, Allison, A1750RDS

OPTIONS

CODE	MODEL	MSRP	
CK56403	[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck	\$52,500.00	
	OPTIONS		
092	Rear axle, 4.30 ratio	\$0.00	
1WT	Work Truck Preferred Equipment Group	\$0.00	
5DX	Electrical Provisions, rear of cab, upfitter, body builder wiring	\$115.00	
9L3	Spare tire delete	\$0.00	
A31	Windows, power with driver express up and down and express down on all other windows	\$290.00	
A52	Seats, front 40/20/40 split-bench, cloth or vinyl 3-passenger.	\$600.00	
AG1	Seat adjuster, driver 10-way power	Inc.	
AQQ	Remote Keyless Entry	\$175.00	
BTN	Battery, top post threaded, battery jump start stud	\$50.00	
DPN	Mirrors, outside heated power-adjustable vertical trailering, upper glass, manual-folding and extending, black.	\$355.00	
ED9	Wheelbase, 165" (419.1 cm), 84" CA	\$0.00	
FNP	Front fender extension, painted body color	\$105.00	
FTB	Front axle, 7,500 lb., Dana Spicer 60-256, single-reduction, front driving	\$0.00	
G86	Axle, limited slip, Dana Spicer Truetrac, torque proportioning limited slip	\$350.00	
GAZ	Summit White	\$0.00	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15885. Data Updated: Feb 27, 2022 4:55:00 AM PST.

MSRP:\$52,500.00



GR4	Rear suspension, 13,500 lb. (6,123 kg) multi-leaf, vari-rate		\$25.00
GZG	GVWR, 19,500 lb. (8845 kg)		\$2,255.00
HOU	Jet Black, Cloth seat trim		\$0.00
HD2	Rear axle, 13,500 lb. (6,124 kg) Dana Spicer S14-110, single reduction		\$355.00
IOB	Audio system, 7" diagonal color touch-screen with Chevrolet Infotainment		\$275.00
JL1	Trailer brake controller, integrated		\$275.00
JTR	Tail lamp wiring harness provisions		\$50.00
K05	Engine block heater		\$90.00
KI4	Power outlet, 110-volt AC		\$125.00
KW5	Alternator, 220 amps	Inc.	
L5D	Engine, Duramax 6.6L Turbo-Diesel V8, B20-Diesel compatible		\$0.00
MIO	Rugged Duty Service Transmission, Automatic close-ratio 6 SPI with double overdrive, Allison, A1750RDS	D	\$740.00
NSQ	Fuel tank, front and rear, 65 gallon total		\$625.00
PTO	Power Take Off, engine control provisions		\$275.00
PWV	Wheels, 19.5" x 6.75", aluminum, 8-holes, hub piloted		\$1,050.00
R6I	30,000 lb. GCWR (13,607 kg)		\$0.00
R7N	5500 HD Series	Inc.	
TRW	Provision for cab roof-mounted lamp/beacon	Inc.	
UNL	Auxiliary harness, 3' for headlamps and turn signals	Inc.	
UQ3	6-speaker audio system	Inc.	
UVC	Rear Vision Camera, display integrated into Radio		\$200.00
UY7	Trailering provisions, trailering wire harness only, trailer combine (Stop/Tail/Turn) connection socket and harness mounted at rear frame.		\$30.00
V22	Grille, chrome		\$195.00
V46	Bumper, front chrome		\$100.00
V76	Recovery hooks, front, frame-mounted, black		\$25.00
VK3	License plate kit, front		\$15.00
VYU	Snow Plow Prep Package		\$340.00
XMF	Tires, front 225/70R19.5G traction blackwall Goodyear		\$300.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Destination Charge

[Retail] 2021 Chevrolet Silverado MD (CK56403) 4WD Reg Cab Work Truck (5) (Complete)		
YMF	Tires, rear 225/70R19.5G traction blackwall Goodyear	\$595.00
ZY1	Paint, solid	\$0.00
	Bluetooth for phone, personal cell phone connectivity to vehicle Inc. audio system	
	SUBTOTAL	\$62,480.00
	Adjustments Total	\$0.00
	Tire Weight Tax	\$26.64

TOTAL PRICE

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 15885. Data Updated: Feb 27, 2022 4:55:00 AM PST.

\$1,695.00

\$64,201.64



Geared Road Speed		
SPECIFICATION SUMMARY		
Model #	CK56403	
Engine Order Code	L5D	
Model Manufacturer	Duramax	
Туре	Turbocharged Diesel V8	
Displacement	6.6L/402	
Horsepower	350 @ 2700	
Starting Torque	N/A	
Transmission Order Code	MIO	
Model Manufacturer	Allison	
Туре	6-Speed Automatic	
Rear Axle Order Code	HD2	
Model Manufacturer	A1750RDS Allison	
Weight Rating	13500 lbs	
Ratio:1	4.30	
Rear Tires	225/70R19.5G	
Revolutions/Mile Front	N/A	
Revolutions/Mile Rear	N/A	
Surface Type	Concrete	
Desired Grade	2%	

Geared Road Speed



Actual Loaded Speed



0% Grade in gear


2% Grade in gear

Note: Simulated speedometer appearance may not correspond with selected equipment.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.



Gradeability Chart				
SPECIFICATION SUMMARY				
Model #	CK56403			
Engine Order Code	L5D			
Model Manufacturer	Duramax			
Туре	Turbocharged Diesel V8			
Displacement	6.6L/402			
Horsepower	350 @ 2700			
Starting Torque	N/A			
Transmission Order Code	MIO			
Model Manufacturer	Allison			
Туре	6-Speed Automatic			
Rear Axle Order Code	HD2			
Model Manufacturer	A1750RDS Allison			
Weight Rating	13500 lbs			
Ratio:1	4.30			
Rear Tires	225/70R19.5G			
Revolutions/Mile Front	N/A			
Revolutions/Mile Rear	N/A			
Surface Type	Concrete			
Desired Grade	2%			
e 0,000000	0.00% 0.00% 0.00% 0.00% 0.0			



This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.




Turning Circle

SPECIFICATION SUMMARY	
Model #	CK56403
Front Axle Order Code	FTB
Capacity (lbs)	7500 lbs
Wheelbase Order Code	ED9
Wheelbase (in)	165 in
Front Wheel Order Code	
Size/Type (in)	19.5 x 6.75 in
Front Tire Order Code	XMF
Size/Type	225/70R19.5G

Wall to Wall (ft): 53.6 ft

Wall to Wall diameter is measured from the outermost part of the cab.



Curb to Curb (ft): 52 ft

Curb to Curb diameter is measured from the outside of the front tire.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.