

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.

IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THWN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 -.

RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

The driver by signing this ticket hereby certifies that transport was loaded as spec	ified.
x Inth Moffing	07/13/2023 05:50 am
Signature	Date
Received quantities in good order.	
x	
Signature	Date

BILL OF LADING/MANIFEST

"FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 DAY OR NIGHT." CCN 201319

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

Signature	Date									
SHIPPING DESCRIPTIONS NA 1993, Fuel Oil (2), 3, PG III One Cargo	USE EMERGEN Tank 7503 GALLONS		ONSE GU	IDE 128						
SOLD TO		SHIP TO			DESTINATION					
SAME AS SHIP TO:	FRAZIER ENERO BRANDED VARIOUS, MO					Encred				
SHIP FROM ADDRESS DATE SHIPPED			SHIPPED	LOAD START TIME	LOAD	END TIM	1E	B.O.L. NO,		
3401 FAIRBANKS AVE			3/2023	05:35		05:46		34436		
SUPPLIER			Ī	LOAD# CUSTON			TOMER NO.			
HF Sinclair Refining & Marketing				2123			330531001			
DRIVER NAME MCKINNEY, SCOTT	ROBERTSON W RBV				TRAILER 0204		RAILER #2	DRIVER # 1303	LOAD POS.	
PRODUCT	PRODUCT		RVP MAX	GROSS GALLONS	TEMP.		A.P.I. GRAVIT	4		
Red #2D 15ppm Sulfur ULSD			0.0	3000	7	7	38.7	2	976	
Red #2D 15ppm Sulfur ULSD			0.0	4503	7	7	38.7	4	467	

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

^{**} DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.

^{**15}ppm Sulfur (maximum)Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in

highwayehicles or eglipse except for tax exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4845-82549

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.

IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THWN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 -.

RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

x	07/13/2023 07:13:
Signature	Date
	Date
tities in good order.	
v	
x	

BILL OF LADING/MANIFEST

"FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 DAY OR NIGHT." CCN 201319

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

USE EMERGENCY RESPONSE GUIDE 128 SHIPPING DESCRIPTIONS NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7493 GALLONS DESTINATION SOLD TO SHIP TO SAME AS SHIP TO: FRAZIER ENERGY LLC (SINC) **BRANDED** VARIOUS, MO DATE SHIPPED LOAD START TIME LOAD END TIME B.O.L. NO. SHIP FROM ADDRESS 07:01 07:12 3401 FAIRBANKS AVE. 07/13/2023 34446 CUSTOMER NO. SUPPLIER LOAD# 330531001 2123 HF Sinclair Refining & Marketing LOAD SHIP VIA - CARRIER NAME/I.D. TRAILER #1 TRAILER #2 DRIVER # POS. DRIVER NAME ROBERTSON WILLIAMS 0068 05505 2 DOMINGUEZ, ANGEL **RBWQ** OCTANE GROSS A.P.I. NET RVP MAX TEMP. **PRODUCT GALLONS GRAVITY GALLONS** R+W2 3569 3597 77 38.7 0.0 Red #2D 15ppm Sulfur ULSD 38.7 3865 3896 77 0.0 Red #2D 15ppm Sulfur ULSD

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.

**15ppm Sulfur (maximum)Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in

highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549

N 69%" 90.6° 5 69" 89.9°

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.

IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THWN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 -.

RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

The driver by signing this ticket hereby certifies that tra	nsport was loaded as specified.
x /	07/13/2023 07:25 am
Signature	Date
Received quantities in good order.	
X	
Signature	Date

BILL OF LADING/MANIFEST

"FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 DAY OR NIGHT." CCN 201319

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

USE EMERGENCY RESPONSE GUIDE 128 SHIPPING DESCRIPTIONS NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7504 GALLONS DESTINATION SOLD TO SHIP TO SAME AS SHIP TO: FRAZIER ENERGY LLC (SINC) **BRANDED** VARIOUS, MO B,O,L. NO. DATE SHIPPED LOAD START TIME LOAD END TIME SHIP FROM ADDRESS 07:23 07:14 34447 07/13/2023 3401 FAIRBANKS AVE CUSTOMER NO. SUPPLIER LOAD# 330531001 2123 HF Sinclair Refining & Marketing LOAD TRAILER #2 SHIP VIA - CARRIER NAME/I.D. TRAILER #1 DRIVER # POS DRIVER NAME ROBERTSON WILLIAMS 07752 2410 LOWE, JOE **RBWQ** A.P.I. OCTANE GROSS NET RVP MAX TEMP. PRODUCT **GALLONS GRAVITY GALLONS** R+M2 38.7 3475 3503 77 0.0 Red #2D 15ppm Sulfur ULSD 38.7 3969 4001 77 0.0 Red #2D 15ppm Sulfur ULSD

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

- ** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.
- **15ppm Sulfur (maximum)Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in
- highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.

IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THWN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 -.

RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

The driver by signing this ticket hereby certifies that transport was loaded a	s specified. 07/13/2023 10:37 am
Signature	Date
Received quantities in good order.	
X	•
Signature	Date

BILL OF LADING/MANIFEST

"FOR CHEMICAL EMERGENCY-SPILL, LEAK, FIRE, EXPOSURE OR ACCIDENT CALL CHEMTREC 800-424-9300 DAY OR NIGHT." CCN 201319

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

Signature	Date								
SHIPPING DESCRIPTIONS	USE EMERGENCY	RÉSPON	ISE GUI	DE 128					
NA 1993, Fuel Oil (2), 3, PG III One Ca	rgo Tank 7503 GALLONS								
		SHIP TO				DES	TINATION		
SAME AS SHIP TO:	FRAZIER ENERGY L		iNC)			DEG	INATION		
SAIVIE AS SHIP TO.	PRAZIDI DIDIO E	.0 (0	1110)		<i>x</i>				
	BRANDED								
y	VARIOUS, MO								
SHIP FROM ADI	SHIP FROM ADDRESS DATE SHIPPED			LOAD START TIME	LOAD END TIME B.			B.O.L. NO.	
3401 FAIRBANKS AVE.			2023	10:26	10:26 10:3		34470		
SUPPLIER				LOAD #	CUSTOMER NO.				
HF Sinclair Refining & Marketing				2123	330531001				
DRIVER NAME	SHIB	SHIP VIA - CARRIER NAME/I.D.			TRAILER #1	TRAILER	:#2 DF	RIVER#	LOAD POS.
SKINNER, WILLIAM		ROBERTSON WILLIAMS			07751			0143	1
	RBWQ					<u> </u>			
PRODUCT		CTANE	RVP MAX	GROSS	TEMP.		A.P.I.	NET GALLONS	
		R+W2		GALLONS	1		RAVITY		
Red #2D 15ppm Sulfur ULSD			0.0	3900	77		38.7		367
Red #2D 15ppm Sulfur ULSD			0.0	3603	78	3	38.7	3	572

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code, -- Sinclair Transportation Company 4645-82549



^{**} DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.

^{**15}ppm Sulfur (maximum)Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in