

KANSAS CITY PRODUCTS TERMINAL
 HOLLY ENERGY PARTNERS
 3401 FAIRBANKS AVE.
 KANSASCITY, KS 66106

BILL OF LADING/MANIFEST

**"FOR CHEMICAL EMERGENCY-
 SPILL, LEAK, FIRE, EXPOSURE
 OR ACCIDENT CALL CHEMTREC
 800-424-9300 DAY OR NIGHT."
 CCN 201319**

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.
 IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THAN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 -.
 RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE.
 THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

The driver by signing this ticket hereby certifies that transport was loaded as specified.
 J. Albert 07/24/2023 10:01 am
 Signature Date

Received quantities in good order.

 Signature Date

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

SHIPPING DESCRIPTIONS **USE EMERGENCY RESPONSE GUIDE 128**
 NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7565 GALLONS

SOLD TO	SHIP TO	DESTINATION
SAME AS SHIP TO:	FRAZIER ENERGY LLC (SINC) BRANDED VARIOUS, MO	Station J

SHIP FROM ADDRESS	DATE SHIPPED	LOAD START TIME	LOAD END TIME	B.O.L. NO.
3401 FAIRBANKS AVE	07/24/2023	09:46	09:58	35082

SUPPLIER	LOAD #	CUSTOMER NO.
HF Sinclair Refining & Marketing	2123	330531001

DRIVER NAME	SHIP VIA - CARRIER NAME/I.D.	TRAILER #1	TRAILER #2	DRIVER #	LOAD POS.
ALBERT, JOHN	ROBERTSON WILLIAMS RBWQ	04512		2822	1

PRODUCT	OCTANE R+M/2	RVP MAX	GROSS GALLONS	TEMP.	A.P.I. GRAVITY	NET GALLONS
Red #2D 15ppm Sulfur ULSD		0.0	3425	77	37.8	3398
Red #2D 15ppm Sulfur ULSD		0.0	4140	77	37.8	4107

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.
 **15ppm Sulfur (maximum) Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549

J

KANSAS CITY PRODUCTS TERMINAL
HOLLY ENERGY PARTNERS
3401 FAIRBANKS AVE.
KANSASCITY, KS 66106

BILL OF LADING/MANIFEST

**"FOR CHEMICAL EMERGENCY-
SPILL, LEAK, FIRE, EXPOSURE
OR ACCIDENT CALL CHEMTREC
800-424-9300 DAY OR NIGHT."
CCN 201319**

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.
IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THAN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 - .
RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC
EPA COMPANY REGISTRATION 5053

The driver by signing this ticket hereby certifies that transport was loaded as specified.

X _____ 07/24/2023 09:09 am
Signature Date

Received quantities in good order.

X _____
Signature Date

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

SHIPPING DESCRIPTIONS **USE EMERGENCY RESPONSE GUIDE 128**
NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7500 GALLONS

SOLD TO		SHIP TO		DESTINATION
SAME AS SHIP TO:		FRAZIER ENERGY LLC (SINC)		
		BRANDED VARIOUS, MO		

SHIP FROM ADDRESS	DATE SHIPPED	LOAD START TIME	LOAD END TIME	B.O.L. NO.
3401 FAIRBANKS AVE.	07/24/2023	08:51	09:06	35073

SUPPLIER	LOAD #	CUSTOMER NO.
HF Sinclair Refining & Marketing	2123	330531001

DRIVER NAME	SHIP VIA - CARRIER NAME/I.D.	TRAILER #1	TRAILER #2	DRIVER #	LOAD POS.
VAN HORN, JUSTIN	ROBERTSON WILLIAMS RBWQ	05414		0147	3

PRODUCT	OCTANE R+W2	RVP MAX	GROSS GALLONS	TEMP.	A.P.I. GRAVITY	NET GALLONS
Red #2D 15ppm Sulfur ULSD		0.0	4001	76	37.8	3970
Red #2D 15ppm Sulfur ULSD		0.0	3499	76	37.8	3472

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.
**15ppm Sulfur (maximum) Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549

KANSAS CITY PRODUCTS TERMINAL
 HOLLY ENERGY PARTNERS
 3401 FAIRBANKS AVE.
 KANSASCITY, KS 66106

BILL OF LADING/MANIFEST

I

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.
 IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THAN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 - .
 RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE.
 THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

**"FOR CHEMICAL EMERGENCY-
 SPILL, LEAK, FIRE, EXPOSURE
 OR ACCIDENT CALL CHEMTREC
 800-424-9300 DAY OR NIGHT."
 CCN 201319**


THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC


EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

The driver by signing this ticket hereby certifies that transport was loaded as specified.
X  07/24/2023 10:12 am
 Signature Date

Received quantities in good order.
X _____
 Signature Date

SHIPPING DESCRIPTIONS **USE EMERGENCY RESPONSE GUIDE 128**
 NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7496 GALLONS

SOLD TO	SHIP TO	DESTINATION
SAME AS SHIP TO:	FRAZIER ENERGY LLC (SINC) BRANDED VARIOUS, MO	

SHIP FROM ADDRESS	DATE SHIPPED	LOAD START TIME	LOAD END TIME	B.O.L. NO.
3401 FAIRBANKS AVE.	07/24/2023	10:00	10:11	35085

SUPPLIER	LOAD #	CUSTOMER NO.
HF Sinclair Refining & Marketing	2123	330531001

DRIVER NAME	SHIP VIA - CARRIER NAME/I.D.	TRAILER #1	TRAILER #2	DRIVER #	LOAD POS.
PETTY, AARON	ROBERTSON WILLIAMS RBWQ	01747		9891	2

PRODUCT	OCTANE R+W2	RVP MAX	GROSS GALLONS	TEMP.	A.P.I. GRAVITY	NET GALLONS
Red #2D 15ppm Sulfur ULSD		0.0	4497	77	37.8	4462
Red #2D 15ppm Sulfur ULSD		0.0	2999	77	37.8	2975

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.
 **15ppm Sulfur (maximum) Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549

N - 63 7/8" 85.2°

S - 63 5/8" 85.2°

KANSAS CITY PRODUCTS TERMINAL
 HOLLY ENERGY PARTNERS
 3401 FAIRBANKS AVE.
 KANSASCITY, KS 66106

I

BILL OF LADING/MANIFEST

**"FOR CHEMICAL EMERGENCY-
 SPILL, LEAK, FIRE, EXPOSURE
 OR ACCIDENT CALL CHEMTREC
 800-424-9300 DAY OR NIGHT."
 CCN 201319**

THIS IS TO CERTIFY THAT THE HEREIN NAMED MATERIALS ARE PROPERLY CLASSIFIED, DESCRIBED, PACKAGED, MARKED AND LABELED, AND ARE IN PROPER CONDITION FOR TRANSPORTATION, ACCORDING TO APPLICABLE REGULATIONS OF THE D.O.T.
 IF SHIPMENT INCLUDES UNLEADED GASOLINE THE PRODUCT CONTAINS NO MORE THWN 0.05 GRAMS OF LEAD PER GALLON AND NO MORE THAN 0.005 GRAMS OF PHOSPHOROUS PER GALLON CONFORMING TO E.P.A. REGULATIONS - 40 CFR 80 - .
 RECEIVED SUBJECT TO TARIFFS OR CONTRACT IN EFFECT THIS DATE. THE CARRIER CERTIFIES THAT THE CARGO TANK SUPPLIED FOR THIS SHIPMENT IS A PROPER CONTAINER FOR THE TRANSPORTATION OF THIS COMMODITY AS DESCRIBED BY THE SHIPPER.

THIS GASOLINE PRODUCT DOES NOT MEET THE REQUIREMENTS FOR REFORMULATED GASOLINE, AND MAY NOT BE USED IN ANY REFORMULATED GASOLINE COVERED AREA.

ALL GASOLINES ARE DETERGENT ADDITIZED FOR SALE TO THE FINAL CONSUMER.

HF SINCLAIR REFINING & MARKETING LLC

EPA COMPANY REGISTRATION 5053

SHIPPER CERTIFIES THAT THE GOODS COVERED BY THIS TICKET WERE PRODUCED IN COMPLIANCE WITH ALL REQUIREMENTS OF THE FAIR LABOR STANDARDS ACT, AS AMENDED.

The driver by signing this ticket hereby certifies that transport was loaded as specified.
 X _____ 07/24/2023 09:28 am
 Signature Date

Received quantities in good order.
 X _____
 Signature Date

SHIPPING DESCRIPTIONS USE EMERGENCY RESPONSE GUIDE 128
 NA 1993, Fuel Oil (2), 3, PG III One Cargo Tank 7510 GALLONS

SOLD TO	SHIP TO	DESTINATION
SAME AS SHIP TO:	FRAZIER ENERGY LLC (SINC) BRANDED VARIOUS, MO	

SHIP FROM ADDRESS	DATE SHIPPED	LOAD START TIME	LOAD END TIME	B.O.L. NO.
3401 FAIRBANKS AVE	07/24/2023	09:13	09:26	35077

SUPPLIER	LOAD #	CUSTOMER NO.
HF Sinclair Refining & Marketing	2123	330531001

DRIVER NAME	SHIP VIA - CARRIER NAME/I.D.	TRAILER #1	TRAILER #2	DRIVER #	LOAD POS.
ZAPATA, ALBINO	ROBERTSON WILLIAMS RBWQ	02043		1985	1

PRODUCT	OCTANE R+W2	RVP MAX	GROSS GALLONS	TEMP.	A.P.I. GRAVITY	NET GALLONS
Red #2D 15ppm Sulfur ULSD		0.0	4759	77	37.8	4721
Red #2D 15ppm Sulfur ULSD		0.0	2751	77	37.8	2729

MATERIAL SAFETY DATA SHEET AVAILABLE ON REQUEST

** DYED DIESEL FUEL, NON-TAXABLE USE ONLY, PENALTY FOR TAXABLE USE.
 ***15ppm Sulfur (maximum) Dyed Ultra-Low Sulfur Diesel Fuel. For use in all nonroad diesel engines. Not for use in highway vehicles or engines except for tax-exempt use in accordance with section 4082 of the Internal Revenue Code.--Sinclair Transportation Company 4645-82549